




Abrasive Recovery System

The *Abrasive Recovery System* covers the entire bottom of an enclosed sandblast booth. During sandblasting operation, it continuously captures, moves, and lifts spent abrasive. The Abrasive Recovery System eliminates sweeping and shoveling hundreds of pounds of abrasive in each sandblasting cycle.




- System fits under roller conveyors.
- Continuously load abrasive into storage hopper while sandblasting.
- Hopper is full when sandblast generator runs empty. Drop abrasive and continue blasting.
- Eliminates sweeping inside booth to reduce exposure to dust.
- Downtime between jobs is greatly reduced allowing increased production.
- 120 volt electrical connection powers entire system. No compressed air required.
- Simple, reliable design and all steel construction for maximum durability.

Specifications for *Abrasive Recovery System*

- Power requirement: 8 amps @ 120 volts single phase
- Abrasive flow rate: Exceeds 1000 lbs./hour
- Shipping weight: 1500 lbs.


Price: \$11,210 *(effective 12-1-2011)*

Add \$580 crate charge if shipped by common carrier.



Optional Sandblast Booth

- Prefab enclosure mounts above *Abrasive Recovery System*. It offers quick assembly and sturdy construction. Model J Automatic Sandblaster easily mounts to the front of this booth.
- Steel frame with reinforced corners for rigidity.
- Tough rubber sheeting provided to protect interior from sandblast erosion.
- Large doors with welded steel frames on each end of booth.
- Predrilled holes for fast assembly.
- Doors have steel hinges and heavy-duty latches.
- Wood panels are cut to size for easy attachment to frame.
- Shipping weight: 800 lbs.



Price: \$2,720 *(effective 12-1-2011)*

Add \$275 crate charge if shipped by common carrier.

Optional Cart and Track System

Includes steel tracks, support frame, and wheeled blast cart. Track extends 8' beyond end of sandblast booth. Load cart with forklift or overhead hoist. Loaded cart rolls easily in and out of booth.

- Tracks and support frame will adapt to either left hand or right hand setup.
- Tracks are inverted steel rails that shed abrasive so cart rolls easily.
- Cart has six V-groove steel wheels with heavy roller bearings.
- 3,000 lb. load limit.

Price: \$1,445 *(effective 12-1-2011)*

Add \$160 crate charge if shipped by common carrier



Optional Powered Cart System

Add to the cart and track system to move any size monument easily.

- Wired push button remote control.

Price: \$525 *(effective 12-1-2011)*



HIRONS MEMORIAL WORKS, INC.

14950 US HWY 68, MT. ORAB, OHIO 45154

(888) 444-6356 TOLL-FREE

(937) 444-2646 FAX

www.hironsmemorials.com

Model J Automatic Sandblaster



Stone Setter



Model K Manual Curtain

